


The background of the advertisement is a solid blue color. In the upper left, the letters 'ATS' are written in a large, bold, orange font. Below this, a horizontal orange bar contains the Chinese characters '特殊油封' in black. The central part of the image features several large, circular shaft seals arranged in a spiral pattern, receding into the distance. These seals have a metallic, ribbed appearance. In the lower left, a portion of a shaft with a threaded section is visible. At the bottom, a white rectangular box contains the product model numbers and the main product name in orange text.

ATS

特殊油封


L2M | L2M-PL | L2M-VF | L2M-TE
SHAFT SEALS



ATS的优势：

大型金属骨架密封环和V型水封在制造生产过程中整体冲压一次成形，无接缝，最大直径至2000mm，硫化后同金属部分粘合在一起，因此，在橡胶与金属之间绝无渗漏。

主要应用于造纸、冶金、船舶、水泥、矿采等重型机械设备。



OIL FILM

GM-L2

L2M

GMA

TGF

TGU

GM

V-RINGS

ATS专业生产各种高技术、高质量大型金属骨架密封环、水封、夹布油封等密封件。ATS在密封件行业中与同行保持密切联系并积极开展各项活动，加强行业的信息交流和技术合作，目前已经成为全球首屈一指的密封件生产企业，在密封领域享有极高的声誉。我们的产品已成为欧洲和美国许多著名机器制造商的供应商，被广泛应用于造纸、冶金、船舶、水泥、矿采等重型机械设备上。几十多年成功经验的累积和发展壮大，使我们公司拥有足够的能力为客户解决密封件方面的各种技术问题。也使我们总结出唯一的普遍真理：质量的保证和优质的服务使客户永远满意。

Finger And Garter Spring Combination

	L2M	
	L2M-TE	
	L2MP	
	L2M-PTFE	
	L2ML	

Finger Spring

	L1M	
	GM	
	GM-L2	

Textile Rubber Seals

	TGU	
	TGUP	
	TGU-1	
	TGA	
	TGU-GM	
	TGU-TE	
	TGR	
	TGU-BP	
	TGU-RAN	



	Finger Spring	inox AISI316
	Filler Ring	FE37
	Felt	
	Steel Case	P 04 inox AISI 302 inox AISI 316 inox AISI 316-TI
	P T F E	
	Garter Spring	Phosphated C72 inox AISI 302 inox AISI 316
	Elastomer	NBR FKM VQM epdm
	Steel Ring	tempered C72
	Polyurethane	
	Rubberised Fabric	NBR FKM

Stiff But Flexible

	TGF	
	TGFP	
	TGFR	
	TGFA	
	TGF-BP	
	TGF-GM	
	BORE	
	TGF-F	
	FACE SEALS	

Front Seals

	VL	
	VA	
	VAX	
	VS	
	VE	
	VM	
	VAM	

Front Seals

	GM-VA	
--	-------	--

Metal Cased Oil Seals


	L2	
	L2P	
	L2-TE	
	L2-DT	
	L1	
	L1P	
	L2-PTFE	
	LF	
	L1A	

Rotary Shaft Oil Seals

	G	
	GP	
	GTE	
	G2	
	GBP	
	COMBY	
	RM	
	TF	
	NECK SEAL	

L2M 特殊油封的产品尺寸及型号
 型号: L2M
 压力: 0.5 BAR


应用: 半径密封
 油封外部: 带金属内环
 结构: 密封唇缘带弹簧



Code	Size B*A*H	Code	Size B*A*H	Code	Size B*A*H
3075	180.00 x 220.00 x 16.00	3013	200.00 x 240.00 x 20.00	9176	200.02 x 238.12 x 17.45
3921	203.20 x 241.30 x 17.45	9712	206.37 x 257.17 x 17.45	4499	209.55 x 260.35 x 20.62
3933	212.72 x 250.82 x 17.45	4500	212.72 x 263.52 x 20.62	6384	215.90 x 247.65 x 16.56
8453	215.90 x 254.00 x 17.45	3938	215.90 x 266.70 x 20.62	3939	219.07 x 257.17 x 17.45
2736	219.07 x 260.60 x 17.45	7718	219.07 x 273.05 x 20.62	3074	220.00 x 260.00 x 16.00
3946	222.25 x 260.35 x 17.45	9911	222.25 x 266.70 x 17.45	3952	222.25 x 273.05 x 20.62
3953	225.42 x 276.22 x 20.62	3954	228.60 x 266.70 x 17.45	3955	228.60 x 279.40 x 20.62
3957	231.77 x 269.87 x 17.45	3962	231.77 x 282.57 x 20.62	8765	232.00 x 269.87 x 17.45
3963	234.95 x 273.05 x 17.45	9706	234.95 x 285.75 x 17.45	4610	238.12 x 288.92 x 20.62
3015	240.00 x 280.00 x 20.00	3145	241.30 x 273.05 x 14.28	3981	241.30 x 285.75 x 19.05
3984	241.30 x 292.10 x 20.62	1692	247.65 x 282.57 x 14.28	3985	247.65 x 285.75 x 17.45
9425	247.65 x 298.45 x 17.45	3992	254.00 x 292.10 x 17.45	3994	254.00 x 298.45 x 19.05
3997	254.00 x 304.80 x 20.62	3998	254.00 x 304.80 x 22.22	3669	254.00 x 311.15 x 20.62
3999	257.17 x 295.27 x 17.45	5989	257.17 x 298.45 x 17.45	3076	260.00 x 304.00 x 20.00
4004	260.35 x 298.45 x 17.45	4009	260.35 x 311.15 x 20.62	4015	260.35 x 317.50 x 20.62
4011	266.70 x 304.80 x 17.45	4026	273.05 x 336.55 x 20.62	4613	311.15 x 349.25 x 17.45
4075	311.15 x 361.95 x 20.62	4056	314.32x355.60x 17.45	4097	314.32 x 365.12 x 17.45
3007	330.00 x 370.00 x 18.0	7734	336.55x 377.82 x 17.45	4128	342.90 x 393.70 x 20.62
4120	346.07x 393.70 x 17.45	4119	349.25x 406.40 x 20.62	4112	354.02 x 406.40 x 17.45
5382	355.60 x 412.75 x 20.62	9280	360.34x 424.99 x 20.62	4139	361.95 x 406.40 x 17.45
4145	368.30x 419.10 x 20.62	4147	374.65x 412.75 x 17.45	3858	377.82 x 419.10 x 17.45
3859	377.82x425.45x17.45	4151	381.00x419.10x17.45	4165	384.17x425.45 x17.45
5992	388.92x439.72x17.45	4159	390.52x441.32x20.62	4163	393.70x444.40x 20.62
4169	399.99x449.98x17.45	4171	400.05x444.50x17.45	4180	406.40x457.20x 20.62
4174	412.75x469.90x20.62	4187	419.10x469.90x17.45	3010	420.00x460.00x 20.00
4190	431.80x482.60x20.62	3751	438.15x476.25x17.45	4198	444.50 x 495.30 x 17.45
4199	447.67 x 488.95 x 17.45	4209	457.20x508.00x19.05	3757	463.55x501.65x 17.45
4216	469.90x520.70x22.22	3029	470.00x520.00x22.00	4617	488.95x527.05x 19.05
4221	495.30x546.10x22.22	4228	501.65x552.45x22.22	3788	504.82x558.80x 22.22
4236	508.00x552.45x19.05	3792	511.63x565.15x22.22	4240	514.35x565.15x 22.22
3027	520.00x570.00x 22.00	9893	523.87x574.67x 20.62	4248	527.05x577.85x 22.22

L2M 特殊油封的产品尺寸及型号
 型号: L2M
 压力: 0.5 BAR

应用: 半径密封
 油封外部: 带金属内环
 结构: 密封唇缘带弹簧



Code	Size B*A*H	Code	Size B*A*H	Code	Size B*A*H
4250	530.22 x 581.02 x 22.22	9772	533.40x596.90x22.22	4257	546.10x590.55x 19.05
4260	552.45 x 622.30 x 22.22	4270	558.80 x 609.60 x 22.22	3764	565.15 x 615.95 x 22.22
6999	568.32 x 619.12 x 19.05	4275	569.89 x 609.60 x 19.05	3061	570.00 x 630.00 x 20.00
4271	571.50 x 609.60 x 19.05	6843	577.85 x 635.00 x 22.22	4284	584.20 x 635.00 x 22.22
4286	590.55 x 635.00 x 19.05	4287	593.72 x 644.52 x 22.22	4288	596.90 x 647.70 x 22.22
8624	600.00 x 640.00 x 20.00	6239	603.25 x 641.35 x 25.40	4294	609.60 x 660.40 x 22.22
4301	615.95 x 666.75 x 22.22	4304	620.69 x 671.49 x 19.05	4305	622.30 x 673.10 x 22.22
4308	635.00 x 673.10 x 19.05	5997	635.00 x 698.50 x 22.22	3047	638.17 x 679.45 x 22.22
5994	639.74 x 684.19 x 19.05	3019	640.00 x 680.00 x 20.00	4299	641.35 x 692.15 x 19.05
4318	647.70 x 698.50 x 22.22	3016	650.00 x 714.00 x 25.00	6998	654.05 x 698.50 x 19.05
4794	660.40 x 723.90 x 22.22	4330	663.57 x 714.37 x 22.22	4307	669.92 x 715.97 x 22.22
3081	670.00 x 720.00 x 22.00	4333	685.80 x 736.60 x 22.22	4315	698.50 x 736.60 x 19.05
5001	701.67 x 752.47 x 19.05	4341	708.02 x 757.22 x 22.22	4343	711.20 x 749.30 x 19.05
4320	711.20 x 768.35 x 20.62	4321	722.32 x 787.40 x 22.22	4346	723.90 x 774.70 x 22.22
4628	730.25 x 781.05 x 22.22	4347	736.60 x 774.70 x 19.05	3072	740.00 x 778.00 x 15.00
3791	749.30 x 800.10 x 25.40	4629	750.00 x 814.00 x 25.00	4356	762.00 x 800.10 x 19.05
4323	762.00 x 819.15 x 22.22	4906	768.35 x 825.50 x 22.22	4361	769.92 x 822.32 x 22.22
8230	774.70 x 850.90 x 22.22	4367	787.40 x 838.20 x 22.22	6666	790.00 x 854.00 x 25.00
4631	793.75 x 831.85 x 19.05	5016	806.45 x 857.25 x 22.22	3023	812.80 x 850.90 x 19.05
4371	815.97 x 866.77 x 22.22	4373	820.72 x 876.30 x 22.22	4377	825.50 x 876.30 x 22.22
8289	831.85 x 889.00 x 22.22	4381	838.20 x 876.30 x 19.05	4326	838.20 x 895.35 x 22.22
4389	850.90 x 901.70 x 22.22	4328	854.07 x 904.87 x 22.22	4331	863.60 x 920.75 x 22.22
4401	869.95 x 920.75 x 22.22	6908	876.30 x 914.40 x 19.05	3837	889.00 x 965.20 x 22.22
4417	898.52 x 949.32 x 22.22	9079	900.09 x 980.00 x 22.22	3001	901.60 x 965.10 x 25.00
3065	905.00 x 955.00 x 22.00	3003	910.00 x 967.15 x 17.45	4421	914.40 x 965.20 x 22.22
7770	919.98 x 958.01 x 19.05	4429	927.10 x 965.20 x 19.05	3026	930.00 x 980.00 x 22.22
4432	933.45 x 984.25 x 22.22	4436	946.15 x 996.95 x 22.22	4438	952.50 x 1003.30 x 22.22
4448	965.20 x 1016.00 x 22.22	4657	971.55 x 1035.05 x 22.22	4342	971.75 x 1035.05 x 22.22
4465	990.60 x 1041.40 x 22.22	1073	999.99 x 1049.98 x 22.22	3093	1000.00 x1064.00 x 25.00
7538	1009.65 x1073.15 x22.22	8791	1016.00 x1079.50 x 22.22	4468	1028.70 x1079.50 x 22.22
3070	1030.00 x1070.00 x25.00	4635	1054.10 x1104.90 x 22.22	3012	1055.00 x1100.00 x 25.00

FRONT SEALS



SPECIAL OIL SEALS



SPECIAL ORINGS



SHAFT SEALS

SPECIAL OIL SEALS





www.fier.com.cn

上海伐尔机械有限公司

地址：上海市龙华西路585号华富大厦15B4
邮编：200232
邮箱：shfier@163.com
网址：www.fier.com.cn

电话：+86-21-54591038/37
+86-21-54596038
传真：+86-21-54240616
手机：13611665381